

USPTO
Intranet

Home | My Favorites | Contact Us | Search

[PatentIntranet](#) > [Classification Home Page](#) > [Classification Search Page](#) >[Site Feedback](#)**Classification Schedule**[Search Classification Data](#) | [Class Numbers & Titles](#) | [Class Numbers](#) | [USPC Index](#) | [International](#) | [HELP](#) | [Employee by Name](#) | [Employees by Org](#)[<-Previous Page](#)**Class 345 COMPUTER GRAPHICS PROCESSING, OPERATOR INTERFACE PROCESSING, AND SELECTIVE VISUAL DISPLAY SYSTEMS**[Click here to view a PDF version of this file.](#)

<u>418</u>	COMPUTER GRAPHICS PROCESSING
<u>419</u>	. Three-dimension
<u>420</u>	.. Solid modelling
<u>421</u>	.. Hidden line/surface determining
<u>422</u>	... Z buffer (depth buffer)
<u>423</u>	.. Tessellation
<u>424</u>	.. Voxel
<u>426</u>	.. Lighting/shading
<u>427</u>	.. Space transformation
<u>428</u>	. Adjusting level of detail
<u>581</u>	. Attributes (surface detail or characteristic, display attributes)
<u>582</u>	.. Texture
<u>583</u>	... Solid Texture
<u>584</u>	... Bump map
<u>585</u>	... Non-planar surface
<u>586</u>	... Mathematically defined
<u>587</u>	... MIP map
<u>588</u>	... Repeating pattern
<u>589</u>	.. Color or intensity
<u>590</u>	... Gamut clipping or adjustment
<u>591</u>	... Color processing in perceptual color space
<u>592</u>	... Transparency (mixing color values)
<u>593</u>	... Color selection
<u>594</u> Using GUI
<u>595</u> Expert system or AI
<u>596</u>	... Dither or halftone
<u>597</u> Color
<u>598</u> Spatial
<u>599</u> Spatial
<u>600</u>	... Color bit data modification or conversion
<u>601</u> Using look up table
<u>602</u> Plural look up tables
<u>603</u> Format change (e.g., NTSC to RGB, RGB to composite, XYZ to RGB)
<u>604</u> Color space transformation (e.g., RGB to YUV)
<u>605</u> Change in number of bits for a designated color (e.g., 4 bits to 8 bits, 8 bits to 4 bits)
<u>606</u>	.. Interpolation of attribute values across object surface
<u>607</u>	... In perspective
<u>608</u>	... Tri-linear
<u>609</u>	... Bi-linear
<u>610</u>	... Linear
<u>611</u>	.. Anti-aliasing or image smoothing
<u>612</u>	... Save attributes for each object affecting a given pixel
<u>613</u>	... Subpixel processing
<u>614</u>	... Pixel fragment

<u>615</u>	... Convolution technique
<u>616</u>	... Error diffusion
<u>617</u>	.. Contrast
<u>618</u>	.. Image with abnormal condition
<u>619</u>	. Graphic manipulation (object processing or display attributes)
<u>620</u>	.. Clipping
<u>621</u>	... Based on model of objects
<u>622</u> Testing or using bounding shape (e.g., bounding box sphere)
<u>623</u> Object clipped to view volume
<u>624</u> Object clipped to another object
<u>625</u>	... Based on image data
<u>626</u> Masking
<u>627</u> Non-rectangular array
<u>628</u> Rectangular region
<u>629</u>	.. Merge or overlay
<u>630</u>	... Combining model representations
<u>631</u>	... Reducing redundancy
<u>632</u>	... Placing generated data in real scene
<u>633</u> Augmented reality (real-time)
<u>634</u>	... Image based
<u>635</u> Non-overlapping
<u>636</u> Character and graphics
<u>637</u> Priority based
<u>638</u> Insertion of bitmapped moving picture
<u>639</u> Weighted
<u>640</u> Weights vary across image (e.g., transition from foreground to background)
<u>641</u> Fixed overlay pattern
<u>642</u>	.. Picking
<u>643</u>	.. Arithmetic processing of image data
<u>644</u>	... Matrix calculations
<u>645</u>	... Hierarchy of transformations (e.g., hierarchy of global and local coordinate)
<u>646</u>	.. Morphing
<u>647</u>	.. Distortion
<u>648</u>	.. Affine
<u>649</u>	.. Rotation
<u>650</u>	... Graphical user interface tools
<u>651</u> Alignment functions (e.g., snapping, gravity)
<u>652</u> Constrained manipulations (e.g., movement in less than all dimensions)
<u>653</u> 3D manipulations
<u>654</u> 2D manipulations
<u>655</u>	... Object based
<u>656</u>	... Image based (addressing)
<u>657</u> By arbitrary angle
<u>658</u> By 90 degrees increment
<u>659</u> Image rotates in response to display device orientation
<u>660</u>	.. Scaling
<u>661</u>	... Graphical user interface tools
<u>662</u> Alignment functions (e.g., snapping, gravity)
<u>663</u> Constrained manipulations (i.e., movement in less than all dimensions)
<u>664</u> 3D manipulations
<u>665</u> 2D manipulations
<u>666</u>	... Object based
<u>667</u>	... Image based (addressing)
<u>668</u> By arbitrary ratio
<u>669</u> By integer multiples
<u>670</u> Reduction only
<u>671</u> Enlargement only

<u>672</u>	.. Translation
<u>673</u>	... Averaging technique
<u>674</u>	... Copying data to create additional rows or columns
<u>676</u>	... Graphical user interface tools
<u>677</u> Alignment functions (e.g., snapping, gravity)
<u>678</u> Constrained manipulations (i.e., movement in less than all dimensions)
<u>679</u> 3D manipulations
<u>680</u> 2D manipulations
<u>681</u>	... Object based
<u>682</u>	... Image based (addressing)
<u>683</u> Sprite
<u>684</u> Scrolling
<u>685</u> Alphanumeric
<u>686</u> Memory addressing
<u>687</u> Smooth or continuous
<u>688</u> Attribute changes during scrolling
<u>689</u>	.. Textual entry or display of manipulation information (e.g., enter or display degree of rotation)
<u>440</u>	. Graph generating
<u>440.1</u>	.. Real-time waveform display
<u>440.2</u>	.. Bar graph
<u>441</u>	. Shape generating
<u>442</u>	.. Curve
<u>443</u>	.. Straight line
<u>467</u>	. Character generating
<u>468</u>	.. Character geometry processing
<u>469</u>	... Character generation using control points or hints
<u>469.1</u>	.. Character border
<u>470</u>	.. Generating character fill data from outline data
<u>471</u>	.. Alteration of stored font
<u>472</u>	... Scaling
<u>472.1</u> Reduction only
<u>472.2</u> Enlargement only
<u>472.3</u>	.. Calligraphic
<u>473</u>	. Animation
<u>474</u>	.. Motion planning or control
<u>475</u>	.. Temporal interpolation or processing
<u>700</u>	OPERATOR INTERFACE (E.G., GRAPHICAL USER INTERFACE)
<u>701</u>	. Force feedback interaction
<u>702</u>	. Tactile based interaction
<u>703</u>	. Cultural based (including language, time, monetary units displayed)
<u>704</u>	. Playback of recorded user events (e.g., script or macro playback)
<u>705</u>	. Help presentation
<u>706</u>	.. Virtual character or avatar (e.g., animated person)
<u>707</u>	.. Adaptive to user skill level
<u>708</u>	.. Context sensitive
<u>709</u>	... Coaching (e.g., animated examples, or handholding or show me execution)
<u>710</u>	... Input alert
<u>711</u>	... Tool tip (e.g., cursor position based)
<u>712</u>	... Topic roadmap or index
<u>713</u> Hierarchical

<u>714</u>	.. Combining diverse help information (e.g., different sources)
<u>715</u>	.. Balloon or bubble appearance
<u>716</u>	. On screen video or audio system interface
<u>717</u>	.. Multiple diverse systems
<u>718</u>	... Mode switching interface (e.g., switching between TV and computer)
<u>719</u>	.. Video interface
<u>720</u>	... Video traversal control
<u>721</u>	... Indexed control
<u>722</u>	... Video parameter control
<u>723</u>	.. For video segment editing or sequencing
<u>724</u>	... Cut and paste operation
<u>725</u>	... Trimming
<u>726</u>	... Effects or transitions interface
<u>727</u>	. Audio user interface
<u>728</u>	.. Audio input for on-screen manipulation (e.g., voice controlled GUI)
<u>729</u>	.. For a visually challenged user
<u>730</u>	. Presentation to audience interface (e.g., slide show)
<u>731</u>	.. Authoring tool
<u>732</u>	.. Slide manipulating or editing
<u>733</u>	. For plural users or sites (e.g., network)
<u>734</u>	.. Interactive network representation of devices (e.g., topology of workstations)
<u>735</u>	... Configuration
<u>736</u>	... Network managing or monitoring status
<u>737</u>	... User navigation between devices
<u>738</u>	.. Network resource browsing or navigating
<u>739</u>	... Selecting from a resource list (e.g., address book)
<u>740</u>	.. Remote operation of computing device
<u>741</u>	.. Access control or permission
<u>742</u>	... Interactive portal (e.g., secure point of access)
<u>743</u>	... Access rights to interactive controls
<u>744</u>	.. Interface customization or adaption (e.g., client server)
<u>745</u>	... Based on stored usage or user profile (e.g., frequency of use, cookies)
<u>746</u>	... Interface conversion
<u>747</u>	... End user based (e.g., preference setting)
<u>748</u>	. User interactive multicomputer data transfer (e.g., file transfer)
<u>749</u>	.. Downloading remote executables (e.g., Java, CGI)
<u>750</u>	. Multiple users on a single workstation
<u>751</u>	. Computer supported collaborative work between plural users
<u>752</u>	.. Interactive email
<u>753</u>	.. Computer conferencing
<u>754</u>	... Multicursor (e.g., multiple on-screen pointers)
<u>755</u>	... Floor Control
<u>756</u>	... Real Time Video
<u>757</u>	... Virtual 3D environment
<u>758</u>	... Chat room
<u>759</u>	.. Group window
<u>760</u>	. Mark up language interface (e.g., HTML)
<u>761</u>	. Plural adjacent interactive display devices
<u>762</u>	. User interface development (e.g., GUI builder)
<u>763</u>	.. Graphical or iconic based (e.g., visual program)
<u>764</u>	. On-screen workspace or object
<u>765</u>	.. Customizing multiple diverse workspace objects
<u>766</u>	.. Z order of multiple diverse workspace objects
<u>767</u>	.. Focus control of multiple diverse workspace objects
<u>768</u>	.. Translucency or transparency interface element (e.g., invisible control)
<u>769</u>	.. Data transfer operation between objects (e.g., drag and drop)
<u>770</u>	... Cut and paste

<u>771</u>	.. Instrumentation and component modeling (e.g., interactive control panel, virtual device)
<u>772</u>	... Progress or activity indicator
<u>773</u>	... Virtual input device (e.g., virtual keyboard)
<u>774</u>	.. Ticker metaphor
<u>775</u>	.. Office layout metaphor (e.g., filing cabinet, desk)
<u>776</u>	.. Indexed book or notebook metaphor
<u>777</u>	.. Tab metaphor (e.g., property sheet)
<u>778</u>	.. Multiple virtual screen or desktop switching
<u>779</u>	.. Task bar or desktop control panel
<u>780</u>	.. Entry field (e.g., text entry field)
<u>781</u>	.. Window or viewpoint
<u>782</u>	... 3D Perspective view of window layout
<u>783</u>	... On-screen window list or index
<u>784</u>	... Window scrolling
<u>785</u> Autoscroll
<u>786</u> Scroll tool (e.g., scroll bar)
<u>787</u> With content attributes on scroll tool
<u>788</u>	... Layout modification (e.g., move or resize)
<u>789</u> Based on usage or user profile (e.g., frequency of use)
<u>790</u> Overlap control
<u>791</u> Always on top
<u>792</u> Tiling or split pane
<u>793</u> Cascading
<u>794</u> Priority or overlap change (e.g., z-order)
<u>795</u> Minimizing or send to bottom
<u>796</u> Bring to top
<u>797</u> Viewing lower priority windows (e.g., overlapped windows)
<u>798</u>	... Combining moving and resizing operations (e.g., moving causes resizing)
<u>799</u>	... Moving (e.g., translating)
<u>800</u>	... Resizing (e.g., scaling)
<u>801</u> Contained object scale change
<u>802</u>	... Focus control
<u>803</u>	... Window differentiation
<u>804</u>	... Interwindow link or communication
<u>805</u>	... On-screen link or communication (e.g., cue)
<u>806</u>	... Window memory structure
<u>807</u>	... Stored priority attribute
<u>808</u>	.. Pop-up control
<u>809</u>	.. Dialog box
<u>810</u>	.. Menu or selectable iconic array (e.g., palette)
<u>811</u>	... Based on usage or user profile (e.g., frequency of use)
<u>812</u>	... Preselection (e.g., best guess before mouse click)
<u>813</u>	... Default selection item
<u>814</u>	... Limited time selection opportunity
<u>815</u>	... Sizing modification (e.g., scaling)
<u>816</u>	... Partial input lookup (e.g., partial string lookup)
<u>817</u>	... Context location indication (e.g., previous or next menu item indication)
<u>818</u> Simultaneous next and previous indication (e.g., menu road map)
<u>819</u> Next menu indication
<u>820</u> Previous menu indication
<u>821</u>	... Emphasis
<u>822</u> Preselection emphasis
<u>823</u> Selection or confirmation emphasis
<u>824</u> Unavailable emphasis
<u>825</u>	... Dynamically generated menu items
<u>826</u>	... Add on item (e.g., software developed, customized)

<u>827</u>	... Mnemonic (e.g., accelerator key)
<u>828</u>	... Partial menu display (e.g., one menu item at a time)
<u>829</u> Advancing to next menu item in the same menu
<u>830</u> Scrolling (e.g., spin dial)
<u>831</u> With specific input device
<u>832</u>	... Analog selection style
<u>833</u>	... Slider control
<u>834</u>	... Radial based (e.g., radial or pie menu)
<u>835</u>	... Selectable iconic array
<u>836</u> 3D icons
<u>837</u> Compound or aggregate icon
<u>838</u> Thumbnail or scaled image
<u>839</u> Imitating real life object
<u>840</u>	... Using button array
<u>841</u>	... Sub-menu structure
<u>842</u> Tear off
<u>843</u> Pull down
<u>844</u>	... Timed
<u>845</u>	... Multiple selections in a single menu
<u>846</u>	.. Non-array icons
<u>847</u>	... Shortcut
<u>848</u>	.. Interface represented by 3D space
<u>849</u>	... Individual object
<u>850</u>	... Navigation within 3D space
<u>851</u> On-screen navigation control
<u>852</u>	... Picking 3D objects
<u>853</u>	.. Hierarchy or network structure
<u>854</u>	... Navigation within structure
<u>855</u> On-screen roadmap or index
<u>856</u>	.. Cursor
<u>857</u>	... Pointer direction adjustment
<u>858</u>	... Automatic position adjustment
<u>859</u>	... Status indicator
<u>860</u> Selection emphasis
<u>861</u> Dynamically changed appearance (e.g., animated or live action)
<u>862</u>	... Proximity detection
<u>863</u>	. Gesture-based
<u>864</u>	. For a small display screen (e.g., personal digital assistant, palm-top)
<u>865</u>	. Miscellaneous interface for the handicapped or disabled user
<u>866</u>	. Miscellaneous customization or adaptation
<u>867</u>	SCREEN SAVER DISPLAY
<u>156</u>	DISPLAY PERIPHERAL INTERFACE INPUT DEVICE
<u>157</u>	. Cursor mark position control device
<u>158</u>	.. Including orientation sensors (e.g., infrared, ultrasonic, remotely controlled)
<u>159</u>	.. Having variable cursor speed
<u>160</u>	.. Cursor key
<u>161</u>	.. Joystick
<u>162</u>	.. Positional storage means
<u>163</u>	.. Mouse
<u>164</u>	... Rotatable ball detector
<u>165</u> Photosensor encoder
<u>166</u>	... Optical detector
<u>167</u>	.. Trackball
<u>168</u>	. Including keyboard
<u>169</u>	.. Portable (i.e., handheld, calculator, remote controller)
<u>170</u>	.. Light source associated with each key
<u>171</u>	.. Having foreign language capability (e.g., Japanese, Chinese)

<u>172</u>	.. Having programmable function key
<u>173</u>	. Touch panel
<u>174</u>	.. Including impedance detection
<u>175</u>	.. Including optical detection
<u>176</u>	.. Transparent substrate having light entrapment capability (i.e., waveguides)
<u>177</u>	.. Including surface acoustic detection
<u>178</u>	.. With alignment or calibration capability (i.e., parallax problem)
<u>179</u>	. Stylus
<u>180</u>	. Light pen for CRT display
<u>181</u>	.. CRT having tracking capability
<u>182</u>	. Light pen for fluid matrix display panel
<u>183</u>	. Light pen for controlling plural light-emitting display elements (e.g., LED, lamps)
<u>184</u>	. Mechanical control (e.g., rotatable knob, slider)
<u>501</u>	COMPUTER GRAPHIC PROCESSING SYSTEM
<u>502</u>	. Plural graphics processors
<u>503</u>	.. Coprocessor (e.g., graphic accelerator)
<u>504</u>	.. Master-slave processors
<u>505</u>	.. Parallel processors (e.g., identical processors)
<u>506</u>	.. Pipeline processors
<u>519</u>	. Integrated circuit (e.g., single chip semiconductor device)
<u>520</u>	. Interface (e.g., controller)
<u>522</u>	. Graphic command processing
<u>530</u>	COMPUTER GRAPHICS DISPLAY MEMORY SYSTEM
<u>531</u>	. Graphic display memory controller
<u>532</u>	.. Plural memory controllers
<u>533</u>	.. Using different access modes
<u>534</u>	.. Memory access timing signals
<u>535</u>	.. Memory arbitration
<u>536</u>	. Plural storage devices
<u>537</u>	.. Data transfer between memories
<u>538</u>	... Data transfer between system memory display memory
<u>539</u>	.. Double buffered
<u>540</u>	.. Interleaved
<u>541</u>	. Shared memory
<u>542</u>	.. Unified memory architecture (e.g., UMA)
<u>543</u>	. Memory allocation
<u>544</u>	. Memory partitioning
<u>545</u>	. Frame buffer
<u>546</u>	.. Multi-format frame buffer
<u>547</u>	.. Memory for storing video data
<u>548</u>	.. Off-screen memory
<u>549</u>	.. Color memory
<u>550</u>	... Multiple planes
<u>551</u>	.. Character memory
<u>552</u>	. Texture memory
<u>553</u>	. Display list memory
<u>554</u>	. Multi-port memory
<u>555</u>	. For storing compressed data
<u>556</u>	. For storing condition code, flag or status
<u>557</u>	. Cache
<u>558</u>	. First in first out (i.e., FIFO)
<u>559</u>	. Register
<u>560</u>	. Row buffer (e.g., line memory)
<u>561</u>	. Logical operations
<u>562</u>	.. Bit block transfer
<u>563</u>	.. Mask data operation
<u>564</u>	. Addressing

<u>565</u>	.. Using memory for storing address information
<u>566</u>	.. Address manipulation
<u>567</u>	... Using decoding
<u>568</u>	... Address translation (e.g., between virtual and physical addresses)
<u>569</u>	.. For 2D coordinate to linear address conversion
<u>570</u>	.. Page mode
<u>571</u>	.. Memory addresses arranged in matrix row and column addresses)
<u>572</u>	.. Address generator
<u>573</u>	... Plural address generators
<u>574</u>	... Read/Write address generator
<u>204</u>	DISPLAY DRIVING CONTROL CIRCUITRY
<u>205</u>	. Physically integral with display elements
<u>206</u>	.. Having common base or substrate
<u>207</u>	. Light detection means (e.g., with photodetector)
<u>690</u>	. Intensity or color driving control (e.g., gray scale)
<u>691</u>	.. Temporal processing (e.g., pulse width variation over time
<u>692</u>	... Binary weighted
<u>693</u>	... Non-binary weighted
<u>694</u>	.. Spatial processing (e.g., patterns or subpixel configuration)
<u>695</u>	... Subpixels have different shapes
<u>696</u>	... Changing of subpixel location over time
<u>697</u>	.. Including optical means
<u>698</u>	. Adjusting display pixel size or pixels per given area (i.e., resolution)
<u>699</u>	.. Controller automatically senses monitor resolution
<u>208</u>	. Waveform generator coupled to display elements
<u>209</u>	.. Field period polarity reversal
<u>210</u>	.. Having three or more voltage levels
<u>211</u>	. Display power source
<u>212</u>	.. Regulating means
<u>213</u>	.. Synchronizing means
<u>214</u>	. Controlling the condition of display elements
<u>215</u>	.. Including priming means
<u>1.1</u>	PLURAL DISPLAY SYSTEMS
<u>1.2</u>	. Data transmitted or received at surface of display
<u>1.3</u>	. Tiling or modular adjacent displays
<u>2.1</u>	. Remotely located
<u>2.2</u>	.. Presentation of similar images
<u>2.3</u>	.. Wireless connection
<u>3.1</u>	. Diverse systems (e.g., CRT or LCD interface)
<u>3.2</u>	.. Frame, field or scan rate conversion
<u>3.3</u>	.. Number of pixels per row or column conversion (i.e., resolution conversion)
<u>3.4</u>	... Controller automatically senses monitor resolution
<u>4</u>	SINGLE DISPLAY SYSTEM HAVING STACKED SUPERIMPOSED DISPLAY DEVICES (E.G., TANDEM)
<u>5</u>	. Diverse display devices
<u>6</u>	. Three-dimensional arrays
<u>7</u>	IMAGE SUPERPOSITION BY OPTICAL MEANS (E.G., HEADS-UP DISPLAY)
<u>8</u>	. Operator body-mounted heads-up display (e.g., helmet mounted display)
<u>9</u>	. Plural image superposition
<u>10</u>	DATA RESPONSIVE CRT DISPLAY CONTROL
<u>11</u>	. CRT provides display control
<u>12</u>	. Data responsive deflection and intensity control
<u>13</u>	. Data responsive deflection control
<u>14</u>	.. X and Y axis deflection control
<u>15</u>	.. Curvilinear deflection control (e.g., lissajous)
<u>16</u>	.. Stroke or vector
<u>17</u>	... Strokes for forming characters

<u>18</u>	... Up/down counter
<u>19</u>	.. Impedance Array
<u>20</u>	. Data responsive intensity control
<u>21</u>	.. Magnetic element array
<u>22</u>	. Color display
<u>23</u>	. Graphic and alphanumeric display
<u>24</u>	. Graphic display
<u>25</u>	. Alphanumeric display
<u>26</u>	.. Character generator
<u>27</u>	. Combined with storage means
<u>28</u>	.. Addressing
<u>29</u>	. Delay line
<u>30</u>	PLURAL PHYSICAL DISPLAY ELEMENT CONTROL SYSTEM (E.G., NON-CRT)
<u>31</u>	. Physically movable array
<u>32</u>	. Optical means interposed in viewing path (e.g., filters, lens, etc.)
<u>33</u>	. Segmented display elements
<u>34</u>	.. Seven segment display
<u>35</u>	.. Bar graph
<u>36</u>	... Electroluminescent display elements
<u>37</u>	... Gas discharge display segments (e.g., plasma)
<u>38</u>	... Liquid crystal display segments
<u>39</u>	... Light-emitting diode segments (LEDS)
<u>40</u>	... Plural (e.g., stacked, adjacent)
<u>41</u>	.. Fluid light-emitting display elements (e.g., gas, plasma)
<u>42</u>	... Controlling circuitry
<u>43</u>	.. Mask or electrode shape
<u>44</u>	.. Solid light-emitting display elements
<u>45</u>	... Electroluminescent
<u>46</u>	... Light-emitting diodes
<u>47</u>	.. Fluorescent elements
<u>48</u>	.. Light-controlling display elements
<u>49</u>	... Electrochromic elements
<u>50</u>	... Liquid crystal elements
<u>51</u> Display element selection circuitry
<u>52</u> Power supply generating circuitry
<u>53</u> Specific waveform (e.g., square waveforms, sinusoidal)
<u>54</u> Field period polarity reversal
<u>55</u>	. Display elements arranged in matrix (e.g., rows and columns)
<u>56</u>	.. Image shifting means (i.e., traveling message)
<u>57</u>	... Having endless belt or tape reader
<u>58</u>	.. Crosstalk elimination
<u>59</u>	.. Matrix for conveying alphanumeric data
<u>60</u>	.. Fluid light emitter (e.g., gas, liquid, or plasma)
<u>61</u>	... Shifting means
<u>62</u> Specified plasma coupling path
<u>63</u>	... Intensity control
<u>64</u>	... Liquid light emitter
<u>65</u>	... Phosphor excited by fluid response
<u>66</u>	... Particular discharge path
<u>67</u>	... More than two electrodes per element
<u>68</u>	... Means for combining selective and sustain signals
<u>69</u> Resistor-diode arrangement
<u>70</u> Including transformer
<u>71</u>	... Electrode insulated from fluid medium
<u>72</u>	... Color
<u>73</u>	.. Incandescent
<u>74.1</u>	.. Cathodoluminescent type

<u>75.1</u>	... Vacuum fluorescent
<u>75.2</u>	... Field emissive (e.g., FED, Spindt, microtip, etc.)
<u>76</u>	.. Electroluminescent
<u>77</u>	... Brightness or intensity control
<u>78</u>	... Having compensating pulse
<u>79</u>	... Field period polarity reversal
<u>80</u>	... Driving means integral to substrate
<u>81</u>	... Optical addressing (e.g., photodetection)
<u>82</u>	.. Solid body light emitter (e.g., LED)
<u>83</u>	... Color
<u>84</u>	.. Light-controlling display elements
<u>85</u>	... Electroscopic (e.g., movable electrodes or electrostatic elements)
<u>86</u>	... Magneto-optic
<u>87</u>	... Liquid crystal display elements (LCD)
<u>88</u> Color
<u>89</u> Gray scale capability (e.g., halftone)
<u>90</u> Control means at each display element
<u>91</u> Diode or varistor
<u>92</u> Thin film transistor (TFT)
<u>93</u> Redundancy (e.g., plural control elements or electrodes)
<u>94</u> Waveform generation
<u>95</u> Three or more voltages
<u>96</u> Field period polarity reversal
<u>97</u> Ferroelectric liquid crystal elements
<u>98</u>	... Specific display element control means (e.g., latches, memories, logic)
<u>99</u> Particular timing circuit
<u>100</u> Particular row or column control (e.g., shift register)
<u>101</u>	... Data signal compensation in response to temperature
<u>102</u>	... Backlight control
<u>103</u>	... Grouped electrodes (e.g., matrix partitioned into sections)
<u>104</u>	... Input/output liquid crystal display panel
<u>105</u>	... Electrochromic elements
<u>106</u>	... Thermochromic elements
<u>107</u>	... Particle suspensions (e.g., electrophoretic)
<u>108</u>	.. Plural mechanically movable display elements
<u>109</u>	... Having shutters
<u>110</u>	... With motor or rotor driver means
<u>111</u>	... With a permanent magnet placed on movable display elements

CROSS-REFERENCE ART COLLECTIONS

<u>901</u>	ELECTRONIC BOOK WITH DISPLAY
<u>902</u>	MENU DISPLAY
<u>903</u>	MODULAR DISPLAY
<u>904</u>	DISPLAY WITH FAIL/SAFE TESTING FEATURE
<u>905</u>	DISPLAY DEVICE WITH HOUSING STRUCTURE
<u>947</u>	FONT CHARACTER EDGE PROCESSING
<u>948</u>	ALTERATION OF STORED FONTS TO MAINTAIN FEATURE CONSISTENCY THROUGHOUT SCALED FONT
<u>949</u>	ANIMATION PROCESSING METHOD
<u>950</u>	. Sprite processing
<u>951</u>	.. Key frame processing
<u>952</u>	. Simulation
<u>953</u>	. Geometric processing
<u>954</u>	.. Quaternions
<u>955</u>	. Morphing

- 956 . Language driven animation
- 957 .. Actor
- 958 . Collision avoidance
- 959 . Object path adherence
- 960 . Iterative display of preconfigured images
- 961 **OPERATOR INTERFACE WITH VISUAL STRUCTURE OR FUNCTION DICTATED BY INTENDED USE**
- 962 . Operator interface for marketing or sales
- 963 . Calendar or scheduling
- 964 . CAD or CAM (e.g., interactive design tools)
- 965 . For process control and configuration
- 966 .. Computer process (e.g., operation of computer)
- 967 ... Visual or iconic programming
- 968 ... Interface for database querying and retrieval
- 969 .. Network layout and operation interface
- 970 .. Instrumentation and component modelling (e.g., interactive control panel)
- 970.1 . Amusement or marital aid interface

- 971 **COOPERATIVE DECISION SUPPORT SYSTEMS FOR GROUPS OF USERS**
- 972 **INSERTED REAL-TIME VIDEO IN OPERATOR INTERFACE**
- 973 **SCROLL TOOL (E.G., WINDOW SCROLL BARS)**
- 974 **SLIDER CONTROLS AS ON-SCREEN OBJECTS IN OPERATOR INTERFACE**
- 975 **POP-UP DIALOG BOX FOR ENTRY**
- 976 **3-D ICONS**
- 977 **DYNAMIC ICON (E.G., ANIMATED OR LIVE ACTION)**
- 978 **AUDIO INTERACTION AS PART OF AN OPERATOR INTERFACE**

FOREIGN ART COLLECTIONS

FOR000 **CLASS-RELATED FOREIGN DOCUMENTS**

Any foreign patents or non-patent literature from subclasses that have been reclassified have been transferred directly to FOR Collections listed below. These Collections contain ONLY foreign patents or non-patent literature. The parenthetical references in the Collection titles refer to the abolished subclasses from which these Collections were derived.

- FOR100 **PLURAL PHYSICAL DISPLAY ELEMENT CONTROL SYSTEM (E.G., NON-CRT) (345/30)**
 - . Display elements arranged in matrix (e.g., rows and columns) (345/55)
 - .. Cathodoluminescent type (345/74)
- FOR101 ... Vacuum fluorescent (345/75)
- FOR102 .. Memory (345/521)
- FOR103 . Data manipulation (e.g., masking, interpolation) (345/523)
- FOR104 .. Logical operation (345/524)
- FOR105 .. Bit block transfer (345/525)
- FOR106 . Data transfer between graphic system components (345/526)
- FOR107 **DISPLAY STORAGE DEVICE (345/507)**

<u>FOR108</u>	. Color memory (345/186)
<u>FOR109</u>	.. Multiple planes (345/510)
<u>FOR110</u>	... Addressing with priority (345/188)
<u>FOR111</u>	. Bit map or graphic memory (345/509)
<u>FOR112</u>	.. Addressing (345/515)
<u>FOR113</u>	.. Mask data operation (345/191)
<u>FOR114</u>	. Character memory (345/192)
<u>FOR115</u>	.. Addressing (345/193)
<u>FOR116</u>	.. Character generator (345/194)
<u>FOR117</u>	... Multiple fonts (345/195)
<u>FOR118</u>	. Row buffer (e.g., line memory) (345/196)
<u>FOR119</u>	. Register (345/513)
<u>FOR120</u>	.. Shift register (345/197)
<u>FOR121</u>	... With routing logic (345/198)
<u>FOR122</u>	. Color look-up-table (e.g., palette) (345/199)
<u>FOR123</u>	. Addressing circuuuitry (345/516)
<u>FOR124</u>	.. Memory addresses arranged in matrix (e.g., row and column addresses) (345/517)
<u>FOR125</u>	. Plural storage devices (345/508)
<u>FOR126</u>	.. Data transfer between memories (345/511)
<u>FOR127</u>	. Shared memory (345/512)
<u>FOR128</u>	. Condition code, flag, or status (345/514)
<u>FOR129</u>	. Multiple port access (345/518)
<u>FOR130</u>	. Data compression or compaction (345/202)
<u>FOR131</u>	. Significant data assignment in storage device (345/203)
<u>FOR132</u>	PLURAL DISPLAY SYSTEMS (345/1)
<u>FOR133</u>	. Remotely located (345/2)
<u>FOR134</u>	. Diverse systems (e.g., CRT/LCD interface) (345/3)
<u>FOR135</u>	DISPLAY ATTRIBUTE CONTROLLER (345/112)

- FOR136 . Particular overlay (e.g., superimposing feature) (345/113)
- FOR137 .. Foreground and background (345/114)
- FOR138 . Simultaneous diverse images (345/115)
- FOR139 .. Character and graphical display (345/116)
- FOR140 . Specified image of abnormal condition (345/117)
- FOR141 . Having image confined to designated region (e.g., image clipping) (345/118)
- FOR142 . Image movement or position control (e.g., panning) (345/121)
- FOR143 .. Scrolling (345/123)
- FOR144 ... Alphanumeric (345/124)
- FOR145 ... Graphical (345/125)
- FOR146 .. Rotation (345/126)
- FOR147 . Image size control (345/127)
- FOR148 .. Alphanumeric (345/128)
- FOR149 ... Reduction (345/129)
- FOR150 ... Enlargement (345/130)
- FOR151 .. Graphical (345/131)
- FOR152 . Defined resolution (e.g., EGA, VGA) (345/132)
- FOR153 . Graphic display (345/133)
- FOR154 .. Waveform display (e.g., oscilloscope type) (345/134)
- FOR155 .. Vector display (345/135)
- FOR156 .. With image smoothing control (e.g., anti-aliasing) (345/136)
- FOR157 ... Convolution technique (345/137)
- FOR158 .. Averaging technique (345/138)
- FOR159 .. Perspective (345/139)
- FOR160 .. Bar graph (345/140)
- FOR161 . Character display (345/141)
- FOR162 .. Calligraphic (345/142)

COMPUTER GRAPHICS PROCESSING (345/418)

- . Character generating (345/467)

FOR163 .. Character border (345/144)

FOR164 **CURSOR MANIPULATION (345/145)**

FOR165 . Menu selection (345/146)

DISPLAY ATTRIBUTE CONTROLLER (345/112)

FOR166 . Intensity control (e.g., gray scale) (345/147)

FOR167 .. Temporal processing (e.g., pulse width variation over time) (345/148)

FOR168 .. Spatial processing (e.g., patterns or subpixel configurations) (345/149)

FOR169 . Selectable color attributes (345/150)

FOR170 .. Including optical means (345/151)

FOR171 .. Designated subpixel arrangement (345/152)

FOR172 .. Color bit data modification or conversion (345/153)

FOR173 ... Format change (e.g., NTSC to RGB, RGB to composite, or XYZ to RGB) (345/154)

FOR174 ... Change in number of bits for a designated color (e.g., 4 bits to 8 bits, 8 bits to 4 bits) (345/155)

COMPUTER GRAPHICS PROCESSING (345/418)

FOR175 . Synchronization of diverse media (345/302)

FOR176 **OPERATOR INTERFACE (345/326)**

FOR177 . Interaction in a television environment (345/327)

FOR178 .. For video segment editing or sequencing (345/328)

FOR179 . For plural users or sites (345/329)

FOR180 .. Computer conferencing (345/330)

FOR181 .. Computer supported cooperative work (345/331)

FOR182 ... Group window (345/332)

FOR183 . Interface customization or edition (345/333)

FOR184 .. Graphical appearance (345/334)

FOR185 .. Link between object and task or function (e.g., client/server) (345/335)

FOR186 . Having on-line help (345/336)

FOR187 .. Adaptive to user skill level (345/337)

FOR188 .. Context sensitive (345/338)

FOR189 . On-screen workspace or object (345/339)

- FOR190 .. Window (345/340)
- FOR191 ... Window scrolled to needed portion (345/341)
- FOR192 ... Layout modification (e.g., move or resize) (345/342)
- FOR193 ... Window differentiation (345/343)
- FOR194 Priority (345/344)
- FOR195 Viewing lower priority window (345/345)
- FOR196 ... Interwindow link or communication (345/346)
- FOR197 .. Pop-up control (e.g., message or dialog box) (345/347)
- FOR198 .. Icon (345/348)
- FOR199 ... Metaphoric icon object (345/349)
- FOR200 Indexed book or notebook (345/350)
- FOR201 Office layout (e.g., filing cabinet, desk) (345/351)
- FOR202 .. Menu (345/352)
- FOR203 ... Sub-menu structure (345/353)
- FOR204 ... Using button array (345/354)
- FOR205 .. Interface represented by 3D space (345/355)
- FOR206 .. Hierarchy or network structure (345/356)
- FOR207 ... Navigation within structure (345/357)
- FOR208 . Gestured-based (345/358)

COMPUTER GRAPHICS PROCESSING (345/418)

- . Three-dimension (345/419)
- FOR209 .. Mapping image onto surface of 3D object (345/425)
- FOR210 . Surface detail/characteristic (345/429)
- FOR211 .. Texture (345/430)
- FOR212 .. Color (345/431)
- FOR213 .. Intensity (345/432)
- FOR214 . Object processing (345/433)
- FOR215 .. Clipping (345/434)
- FOR216 .. Merge/overlay (345/435)

FOR217 .. Affine (345/436)

FOR218 .. Rotation (345/437)

FOR219 .. Translation (345/438)

FOR220 .. Sealing (345/439)

Note: Some content linked to on this page may require a plug-in for Adobe Acrobat Reader.

This file produced by USPTO - SIRA - Office of Patent Automation - ReferenceTools Project. Questions or comments relating to this file should be directed to Patent Automation Feedback.

[Intranet Home](#) | [Index](#) | [Resources](#) | [Contacts](#) | [Internet](#) | [Search](#) | [Firewall](#) | [Web Services](#)